



SUN-BATT-10.49-R-02



DATASHEET

www.sunsynk.com
sales@sunsynk.com
customerservices@sunsynk.com



Product Parameters

Note

Approvals and certification are subject to change without prior notice. Please confirm the current status with Sunsynk before placing an order.

Model	SUN-BATT-10.49-R-02
Main Parameter	
Battery Chemistry	LiFePO ₄
Nominal Voltage	51.2Vdc
Nominal Capacity	205Ah
Battery Energy ^[1]	10496Wh
Operating Voltage Range	44.8Vdc~56.16Vdc
Nominal Charge/Discharge Current	102.5A
Max. Charge/Discharge Current ^[2]	200A
Communication	
Display	SOC Status Indicator, LED Indicator
Communication	CAN/RS485/RS232/Wi-Fi
General Specification	
Dimension (WxDxH)	530x245x675mm
Weight	86kg
Installation	Floor Stand or Wall Mounted
Operating Temperature ^[3]	Charge: 0 to 50°C Discharge: -15 to 50°C
Environmental Humidity	≤95%RH (No Condensation)
Protection Rating	IP65
Cycle Life ^[4]	6000 Cycles @ 80% DOD / 25°C / 0.5C, 60% EOL
Scalability	Max. 15 Batteries in Parallel
Application	On-Grid/On-Grid + Backup/Off-Grid
Compatible Inverters	Refer to Compatible Inverter List (Compatible with Major PCS Brands)
Standard Compliance	
Approvals and certifications are subject to change without prior notice. Please confirm the current status with Sunsynk before placing an order.	
Warranty	See website for Warranty details
Ordering and Deliverable Parts	
Parts	SUN-BATT-10.49-R-02 Battery SUN-BATT-10.49-R-02 Parallel Cable SUN-BATT-10.49-R-02 to PCS Cable

^[1] Test conditions: 100% depth of discharge (DOD), 0.2C rate charge & discharge at 25°C.

^[2] There is 0.5C or 1C configurations optional in factory default.

^[3] Charge/discharge derating occurs when the temperature is below 0°C or above 45°C.

^[4] Please refer to the Warranty Letter for applicable conditions, the warranty is due whichever comes first.



Contact Us

Call +44 151 832 4300 **Email** sales@sunsynk.com **Website** www.sunsynk.com

Address

- HK** Room 702-704, 7/F Texwood Plaza, 6 How Ming Street, Kwun Tong, Kowloon, Hong Kong
- UK** Sunsynk UK Ltd, 17 Turnstone Business Park, Mulberry Avenue, Widnes, Cheshire, WA8 0WN
- SA** Unit 2, 3 & 4, 80 Highview Blvd, Ferndale, Randburg, 2160, South Africa
- NL** Sunsynk NL BV, Henri Wijnmalenweg 8, 5657 EP Eindhoven, Netherlands
- AU** Level 1, 982-988 Wellington Street, West Perth WA 6005, Australia
- ES** Tafetana, 32 P.I. Las Andoriñas 38639 Las Chafiras Santa Cruz de Tenerife
- US** 100 S. Ashley Drive, Suite 600, Tampa, Florida, 33602, United States of America